

# Premium automotive chemicals trusted for over a century.

With a combined history of American-made quality and more than 150 years of trust, Bar's Leaks and Rislone stand above and beyond the crowd in premium automotive chemicals.



Bar's Leaks offer a full line of stop leak products designed for radiators and cooling systems, engine oil, transmission, power steering and hydraulic applications.

[See all the Bar's Leaks products inside](#)



Rislone is a legendary line of premium automotive solutions, include engine & oil treatments, smoke & compression repair and fuel system additives.

[See all the Rislone products inside](#)

[www.barsleaks.com](http://www.barsleaks.com)

[www.rislone.com](http://www.rislone.com)

## Not sure what you need?



Gaskets



Cooling



Engine



Hydraulics



Fuel System



Steering



Transmission

## The History of Bar's Leaks

- 1947 - Bar's Leaks founded in California by Fred Barton (1907-1975), who discovers a unique ingredient called RHIZEX to stop radiator leaks. RHIZEX is later awarded a patent by the U.S. Trademark and Patent Office.
- 1950 - Bar's Leaks enters the traditional automotive aftermarket: jobbers, warehouses and repair garages. The products debut in glass bottles.
- 1951 - Bar's Leaks moves its headquarters from California to Holly, Michigan.
- 1952 - Bar's Leaks products used in regular and heavy duty assembly lines as OEM treatments by major US automakers. This practice continues today on a global scale.
- 1958 - During the legendary trip of the nuclear submarine USS Nautilus, Bar's Leaks is used to stop a hidden leak in one of the vessel's nuclear reactor steam condensers. The treatment was successful, and allowed the submarine to complete its historic mission as the first submarine to travel under the North Pole. See here to learn more about the USS Nautilus.
- 1963 - Bar's Leaks switches packaging from its original glass bottle to advanced metal cans to enhance product durability and longevity
- 1965 - Bar's Leaks enters the retail auto aftermarket. Its products are found in major US auto parts retailers to this day.
- 1968 - Bar's Leaks introduces tablet-based stop leak product. Since then, over 1 billion tablets have been sold.
- 1972 - Bar's Leaks introduces the pouch pack to the automotive aftermarket, a packaging concept that's at least 10 years ahead of its time.
- 1974 - Fred Barton invents NO'VERHEAT, a kit that converts cars' open cooling systems to closed. NO'VERHEAT sells in three sizes to accommodate all vehicle types.
- 1982 - Bar's Leaks sells one-hundred-millionth bottle of cooling system stop leak.
- 1983 - Taking advantage of modern plastics technology, Bar's Leaks migrates all products to a plastic bottle, reducing weight while keeping product durability high.
- 1995 - Bar's Leaks sponsors five-time NHRA National Champion Top Alcohol Driver Bill Reichert and the URC Sprint Series.
- 1996 - Bar's Leaks introduces three revolutionary products: Engine, Transmission and Power Steering stop leak solutions.
- 1997 - Bar's Leaks becomes a major sponsor of 1997's Monday Night Football radio broadcasts.
- 1999 - Bar's Leaks Jack Oil with Stop Leak developed and introduced to the market. It's the first and still the only product of its kind known in the world.
- 2001 - Bar's Leaks introduces Liquid Aluminum Cooling System Radiator & Heater Core Stop Leak, which becomes an instant success with customers everywhere.
- 2003 - Bar's Leaks introduces the world's first clear, dual-cavity bottle.
- 2004 - Bar's Leaks revolutionizes the block seal stop leak category with the introduction of its head gasket repair product line, known and respected by mechanics everywhere.
- 2006 - Bar's Products, Inc, the parent company of Bar's Leaks, acquires Rislone, Inc. and adds its technology and products to its catalog.
- 2008 - Bar's Leaks introduces Liquid Copper Block Seal (p/n 1109), which uses a suspended formula while being completely antifreeze compatible.
- 2009 - Due to rising growth and demand for its products, Bar's Leaks and Rislone operations expand to a second location in Holly, Michigan.
- 2010 - Bar's Leaks launches its strongest, pro-grade head gasket sealant: Carbon Fiber Block Seal, p/n HG-1. The product rapidly becomes the industry benchmark for chemical-based, professional-quality head gasket repair products.
- 2012 - Bar's Leaks unveils its dual cavity fuel treatment, which includes an innovative patent-pending spout.
- 2013 - Rislone unveils new fuel bottles that include a patent pending nozzle and flow valve which allows it to be easily poured into all gas tanks, including capless (no gas cap) systems .

## Founded in 1921 by the Shaler Company, Rislone was one of the original automotive chemical additives.

The machining tolerances for early automobiles were not what they are today. Subsequently, one of the major problems was improper piston ring seating. Engines often had to be torn down every 2,000 to 3,000 miles and re-ringed.

Rislone was originally sold in glass bottles through service stations along with Shaler Hot Patches, a vulcanizing system for tire repair. In the 1930s, Shaler built product awareness by combining showmanship and salesmanship with the Shaler Traveling Circus.

Along with the engine performance benefits, Rislone was instrumental in coining one of the most common phrases in automotive vernacular: the Tune-up. In the late 1930s, Shaler developed a training system for mechanics called the Shaler Rislone Tune-Up System. The benefits of a Tune-Up to both customer and service provider were numerous. By enhancing a regular oil change with the addition of Rislone and Karbout, a Shaler product for cleaning carburetors, the mechanic was able to guarantee the customer "Feelable Improvement" in the car's performance. Locations that followed the system were designated as "Authorized Tune-Up Service Stations."

During the 1940s and 50s, Rislone was offering a "Money-Back Guarantee of Smooth-Driving Satisfaction." Advertisements in publications such as Life and The Saturday Evening Post challenged drivers to add Rislone during an oil change, and then drive 10 miles. If the beneficial effects of the additive were not felt within 10 miles, they could return to the dealer for a full refund. Of the more than 20 million guarantee cards issued with the purchase of Rislone, fewer than one half of one percent were returned for a refund.

## Rislone - Modernizing a Legendary Brand

Bar's Products, Inc. announced its purchase of the Shaler Company and Rislone name brand in May of 2006. The goal was to maintain the integrity of the original Rislone formula while updating and expanding the line of Rislone products to cover other automotive applications.

As popular as ever, Rislone Engine Treatment still provides penetrating lubrication and contains a proprietary additive package to remove sludge and prevent harmful engine deposits from forming. Additionally, wear protection and improved engine cleanliness can be expected. Rislone is fully compatible with all petroleum-based and synthetic motor oils.

As the Rislone name brand enters its 92nd year of business, the product catalog includes a full line of modern Rislone concentrated products, compression repair solutions, engine & oil treatments and fuel system (gas, ethanol and diesel) additives for all vehicle owners.





You need all the help you can get to cut a second off the 1/4-mile world record.



### THE ROCKE FROM RISL

That did it. The RISLONE ROCKE did it. In just 1/4 mile, a competing challenger was out of the race. The Rocke was the only car to finish the race. The Rocke was the only car to finish the race.

# the trouble shooter



when we talk about peak performance we mean it!

## Wes Vandervoort used RISLONE to win Pikes Peak Hill Climb

Wes Vandervoort won the Pikes Peak Hill Climb in 1965. He used RISLONE to lubricate his engine. RISLONE is a multi-grade motor oil that provides excellent protection and lubrication. It is the only oil that has been tested and approved by the American Petroleum Institute (API).

you can actually test an engine to prove and compare when you use RISLONE. And only one engine actually won the race. And the big car that won was Wes Vandervoort's. And the oil that won was RISLONE. And the only oil that has been tested and approved by the American Petroleum Institute (API) is RISLONE.



For a Free RISLONE Racing Booklet send in your name and address to: RISLONE, THE DEALER COMPANY, 10000 W. 10th Street, Overland Park, Kansas 66204.

## COLD STARTING POWER!



### STOP USING THAT WATER CAN!

USE **BAR'S LEAKS** RECONDITIONS THE ENTIRE COOLING SYSTEM STOPS LEAKS STOPS RUST STOPS FUR LUBRICATES WATER PUMP



ALL THIS FOR ONLY 7¢

FOR A SIMPLER TREATMENT NO SCRAPING NO PELLETS STOP LEAKAGE AND SEEPAGE 3/16

## EVERY CAR NEEDS BAR'S LEAKS



## EVERY CAR NEEDS BAR'S LEAKS

### THE PRESSURIZED COOLING SYSTEM



truths

**WE ARE OPEN**

WEEKDAYS  TO

SATURDAYS  TO

SUNDAYS  TO

We Sell & Recommend **BAR'S LEAKS** EVERY 5000 MILES

THE COOLING SYSTEM TUNE-UP

USED IN 4 OUT OF 5 CARS ON THE ROAD TODAY

65, Holly, Michigan

1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18

**24 HOURS**

NEW super concentrate

# RISLONE

THE TOTAL CARE

**TUNE-UP YOUR ENGINE**

In a Few Minutes

CLEAN OUT GUM, SLUDGE and CARBON

Restore Lost Compression and Power

FREE STICKING VALVES

**SHALER**

**RISLONE**

**BARBOUR**

**"TUNE-UP"**

20,000,000 people can't be wrong! **RISLONE** in your motor oil works magic in your car! Smooth new power in 10 miles or your money back!



### THE RED STRIP GETS IT ON WITH RISLONE







## EZ Nozzle Funnel™



PN: 4790

### EZ Nozzle Funnel™

*EZ Nozzle Funnel™ works in all vehicles gas tanks, including those with capless or obstructed systems. Use for adding fuel additives, or with portable gas cans as needed. This multi-purpose funnel also works great for other fluids & additives like engine oil and power steering fluid.*

Usage: Engine Oil, Power Steering Fluid and Gas Additives

CS PK: 24

Works in:



### EZ Nozzle Funnel™ Display Box

CS PK: 8



PN: 4790







## Fuel Products



Spout Works in ALL Vehicles Including Capless Gas Tanks



Spout Works in ALL Diesel Vehicle Fuel Tanks



PN: 4700

### Gasoline Fuel System Treatment

Improves the quality of gas by increasing its cleaning ability, adding lubrication, removing contaminants, reducing spark knock, and helping to prevent the fuel from going bad. Contains all of the additives as a bottle of gas treatment, fuel injection cleaner, complete fuel system cleaner, octane booster, gas dryer and upper cylinder lubricant.

**Dosage:**  
1 bottle treats up to 22 gallons of gasoline

**Size:** 16.9 FL OZ (500 mL)

**CS PK:** 4

**What it Does:**



PN: 4740

### Diesel Fuel System Treatment

Improves the quality of diesel fuel by increasing its cleaning ability, adding lubrication, removing contaminants, fighting corrosion, and helping to prevent the fuel from gelling & going bad. Contains all of the additives as a bottle of injector cleaner, anti-gel, fuel conditioner, Cetane booster, and upper cylinder lubricant.

**Dosage:**  
1 bottle treats up to 35 gallons of diesel fuel

**Size:** 16.9 FL OZ (500 mL)

**CS PK:** 4

**What it Does:**



PN: 4732

### Fuel Injector Cleaner

Economy size Rislone Super Concentrated Fuel Injector Cleaner with Upper Cylinder Lubricant helps eliminate noisy injectors & fuel pumps, rough idle, hard starting and hesitation. High performance additives increase power, performance, mileage and help save gas by cleaning & lubricating fuel injectors. Use for larger vehicles or for multiple treatments.

**Dosage:**  
1 bottle treats 100 gallons of gasoline or diesel fuel

**Size:** 32 FL OZ (946 mL)

**CS PK:** 6

**What it Does:**







# EZ Nozzle™




Rislone's new fuel bottles include a patent pending EZ Flow Nozzle and **FLOW VALVE**

Works in **ALL** Vehicles Including Capless Gas Tanks **Guaranteed!**

Made for **Performance**  
Packaged for **Convenience**

Rislone's new fuel bottles include a patent pending nozzle and flow valve which allows it to be easily poured into ALL gas tanks, including capless (no gas cap) systems.




Import



Domestic



Capless



Obstructed



Car



Truck



## Fuel Products



PN: 4701



PN: 4705

### Fuel Injector Cleaner

Rislone Super Concentrated Fuel Injector Cleaner with Upper Cylinder Lubricant helps eliminate noisy injectors & fuel pumps, rough idle, hard starting and hesitation. High performance additives increase power, performance, mileage and help save gas by cleaning & lubricating fuel injectors. The bottle includes a patent pending nozzle and flow valve which allows it to be poured into all fuel tanks, including capless (no fuel cap) systems.

#### Dosage:

Pour entire bottle into fuel tank.  
One bottle is concentrated to treat up to 20 gallons of gasoline or diesel fuel.

Size : 6 FL OZ (177 mL)

CS PK: 12

#### What it Does:

- CLEANS
- LUBRICATES
- PREVENTATIVE MAINTENANCE
- STOPS NOISE

### Fuel Injector & Carb Cleaner

Multi-vehicle formula maintains engine efficiency. Keeps fuel injectors & carburetor clean. Regular use, summer and winter, maintains optimum engine efficiency and power. Safe to use on all gasoline vehicles and will not harm catalytic converters or oxygen sensors. Use with gasoline and Ethanol E10 E15. The bottle includes a patent pending nozzle and flow valve which allows it to be poured into all fuel tanks, including capless (no gas cap) systems.

#### Dosage:

One bottle is concentrated to treat up to 20 gallons of gasoline or diesel fuel.

Size : 6 FL OZ (177 mL)

CS PK: 12

#### What it Does:

- CLEANS
- PREVENTATIVE MAINTENANCE





PN: 4777



PN: 4747



PN: 4735



PN: 4774

**Gas Treatment**

Gas treatment fuel conditioner improves the quality of gas. Prevents gum and varnish. Regular use, summer and winter, maintains optimum engine efficiency and power. Improves performance by helping fuel to be burned better and cleaner. Use with gasoline, flex fuel & E10 E15 E85 Ethanol. The bottle includes a patent pending nozzle and flow valve which allows it to be poured into all fuel tanks, including capless (no gas cap) systems.

**Dosage:**

One bottle is concentrated to treat up to 20 gallons of gasoline.

Size : 6 FL OZ (177 mL)

CS PK: 12

What it Does:



**Octane Booster**

Real MMT Power Boost. Restores lost horsepower. Increased octane allows the engine to run optimum spark timing which not only creates more power, but also reduces emissions and increases fuel mileage. Stops engine knocks and pings. Safe to use on vehicles which have oxygen sensors and catalytic converters. Use with gasoline & E10 E15 E85 Ethanol. The bottle includes a patent pending nozzle and flow valve which allows it to be poured into all fuel tanks, including capless (no gas cap) systems.

**Dosage:**

One bottle is concentrated to treat up to 20 gallons of gasoline.

Size : 6 FL OZ (177 mL)

CS PK: 12

What it Does:



**Water Remover Fuel Dryer**

Regular use summer and winter removes water and allows quicker starts. Prevents damaging effects of water in fuel and stops corrosion. Will not void manufacturers new car warranty. Safe to use on all gasoline and diesel vehicles. The bottle includes a patent pending nozzle and flow valve which allows it to be poured into all fuel tanks, including capless (no fuel cap) systems.

**Dosage:**

One bottle is concentrated to treat up to 20 gallons of gasoline or diesel fuel.

Size : 6 FL OZ (177 mL)

CS PK: 12

What it Does:



**Ethanol Fuel Treatment**

Regular use summer and winter prevents harmful corrosion and keeps fuel fresh. Special formula for Ethanol-containing fuels designed to work better than a regular fuel additive. Fights damaging effects of Ethanol. Saves gas and lowers emissions. Safe to use on all gasoline and Flex Fuel vehicles and will not void manufacturers new car warranty. The bottle includes a patent pending nozzle and flow valve which allows it to be poured into all fuel tanks, including capless (no gas cap) systems.

**Dosage:**

One bottle is concentrated to treat up to 20 gallons of gasoline.

Size : 6 FL OZ (177 mL)

CS PK: 12

What it Does:



Rislone's new fuel bottles includes a patent pending EZ Flow Nozzle and flow valve





## Fuel Products



## Engine Oil Products



PN: 40003

### Premium Multi-Ratio 2-Cycle Engine Oil

Rislone Premium Semi-Synthetic Multi-Ratio 2-Cycle Engine Oil helps to keep engines clean, reduces smoke emissions and ends gas-can clutter. If you're like most home owners, you probably have more than one gas can to meet the mix ratios for your lawn and garden equipment. Now, Rislone eliminates gas-can clutter with easy-mix convenience. Just one Rislone/ gas blend meets the needs of most air-cooled, 2-cycle engines, including weed trimmers, chain saws, leaf blowers, power mowers, compact snow-blowers and garden equipment.

**Dosage:**

1 bottle treats one gallon of gas:  
32:1, 40:1, or 50:1 Ratio

Size: NET 3.2 OZ (95 mL)

CS PK: 24 (Four 6 packs in each case)

**What it Does:**



PN: 40008

### Premium Multi-Ratio 2-Cycle Engine Oil

Rislone Premium Semi-Synthetic Multi-Ratio 2-Cycle Engine Oil helps to keep engines clean, reduces smoke emissions and ends gas-can clutter. If you're like most home owners, you probably have more than one gas can to meet the mix ratios for your lawn and garden equipment. Now, Rislone eliminates gas-can clutter with easy-mix convenience. Just one Rislone/ gas blend meets the needs of most air-cooled, 2-cycle engines, including weed trimmers, chain saws, leaf blowers, power mowers, compact snow-blowers and garden equipment.

**Dosage:**

1 bottle treats 2.5 gallons of gas:  
32:1, 40:1, or 50:1 Ratio

Size: NET 8 OZ (237 mL)

CS PK: 24

**What it Does:**



PN: 4447

### Compression Repair

Rislone Compression Repair with Ring Seal is a concentrated proprietary blend of petroleum additives developed for higher mileage engines that are suffering from decreased or uneven compression. Low compression can be caused by normal engine wear and decreased sealing between the piston rings and cylinder walls.

**Dosage:**

1 bottle treats 4, 6 & 8 cylinder vehicles

Size: 16.9 FL OZ (500 mL)

CS PK: 12

**What it Does:**



PN: 4405

### 3X Concentrated ZDDP Engine Oil Supplement with Zinc Treatment

Rislone Engine Oil Supplement with Zinc Treatment is a petroleum oil performance supplement "booster" containing ZDDP (zinc dialkyldithiophosphate) Zinc and Phosphorus EP (extreme pressure) additives to help protect internal engine components including pistons, flat tappet camshafts, lifters, pushrod tips and the rest of the valvetrain. High performance formula stabilizes the motor oil to insure against viscosity and thermal breakdown. Reduces friction & wear, especially at start-up, helping to eliminate dry starts. Less friction means less wear and a cooler running, longer lasting engine. Makes newer oils work in older engines.

**Dosage:**

1 bottle with every oil change.

Follow all dosage instructions on bottle.

Size: 11 FL OZ (325 mL)

CS PK: 6

**What it Does:**



“ This engine is a 4 cylinder with almost 150,000 miles on it and it looks great on the inside! ”

J. E. - Port Charles, FL



PN: 4471



PN: 4102



PN: 100QR



PN: 4416


**High-Performance Oil Treatment**

Rislone Oil Treatment is a high-viscosity formula developed for older and higher mileage engines to increase oil film thickness, building a thicker oil cushion and increasing oil pressure in worn engines. Protects against engine wear. Quiets noisy engines & lifters. Increases oil pressure & power.

**Dosage:**  
One can treats 4 to 6 quarts of oil  
Size: 15 FL OZ (443 mL)

CS PK: 12

What it Does:



**Engine Treatment Concentrate**

Rislone created the original engine treatment and it has been protecting engines since 1921. This high quality penetrating lubricant reduces friction & wear, quiets noisy lifters & valves and removes & prevents sludge. Its multi-grade formula allows the oil to flow freely and provides protection over a broader temperature range. Use anytime, at or between oil changes. 2X Concentrate, same performance as the 32 ounce size.

**Dosage:**  
1 bottle treats 4 to 6 quarts of oil  
Size: 16.9 FL OZ (500 mL)

CS PK: 6

What it Does:



**Engine Treatment**

Rislone created the original engine treatment and it has been protecting engines since 1921. This high quality penetrating lubricant reduces friction & wear, quiets noisy lifters & valves and removes & prevents sludge. Its multi-grade formula allows the oil to flow freely and provides protection over a broader temperature range. Use anytime, at or between oil changes.

**Dosage:**  
1 bottle treats 4 to 6 quarts of oil  
Size: 32 FL OZ (946 mL)

CS PK: 6

What it Does:



**Ring Seal Smoke Repair**

Rislone Ring Seal® is formulated to help stop blue exhaust smoke, reduce oil burning and prevent plug fouling caused by "blow-by". Blow-by is usually caused by gaps in internal engine parts resulting from excess wear. Ring Seal contains viscosity improvers that thicken the oil film filling these gaps.

**Dosage:**  
1 bottle treats 4 to 6 quarts of oil  
Size: 16 FL OZ (472 mL)

CS PK: 6

What it Does:



“ Thanks to Rislone, I have increased my MPG without any mechanical change to my engine. ”

I.W.R - Orange, Texas





## Engine Oil Products



PN: 1020



PN: 1010



PN: 1040



PN: 1000

### Smoke Away Concentrate

Bar's Leaks Engine Oil Smoke Away™ Concentrate is specially designed to reduce exhaust smoke and help stop oil burning caused by blow-by. Blow by is usually caused by gaps in the internal engine parts resulting from excessive wear. Works with ALL gasoline and diesel engines using conventional, high mileage and synthetic engine oil.

#### Dosage:

1 bottle treats 4 to 5 quarts of oil

Size: 11 FL OZ (325 mL)

CS PK: 6

#### What it Does:



STOPS SMOKING

### Engine Oil Stop Leak Concentrate

Restores gaskets & seals to stop and prevent minor engine oil leaks caused by normal engine wear and age. Works with ALL gasoline and diesel engines using conventional, high mileage and synthetic engine oil.

#### Dosage:

1 bottle treats 4 to 5 quarts of oil

Size: 11 FL OZ (325 mL)

CS PK: 6

#### What it Does:



STOPS LEAKS

### Rear Main Seal Repair Concentrate

Specifically designed to seal rear main leaks, but also works better than a conventional stop leak on all other leaks. This includes the timing cover seal, cam seals, O-rings and other gaskets. Most rear main seal leaks are caused by a combination of normal wear in the crankshaft & seal and the drying, hardening and shrinking of the main seal. Bar's Leaks Concentrated Rear Main Seal Repair restores the seal to like new condition and also contains additives to stop leaks in severely worn seals and crankshafts.

#### Dosage:

1 bottle treats 4 to 6 quarts

Size: 16.9 FL OZ (500 mL)

CS PK: 6

#### What it Does:



STOPS LEAKS



REPAIRS

### Engine Repair

Bar's Leaks Engine Repair contains a combination of the best performance additives to repair the most common oil-related problems. Engine Repair restores lost compression and power, reduces noise and oil consumption, while improving the performance of worn cylinders, rings, bearings, and seals. For most vehicles, this is your last chance before paying an expensive repair bill or replacing the vehicle.

#### Dosage:

1 bottle treats 4 to 6 quarts of oil

Size: 16 FL OZ (473 mL)

CS PK: 4

#### What it Does:



STOPS LEAKS



REPAIRS



STOPS SMOKING



INCREASES OIL PRESSURE



## Block Seal Products



PN: 1109



PN: 1100



PN: 1111



PN: HG-1

### Liquid Copper™ Block Seal Intake & Radiator Stop Leak

One Step Formula permanently repairs larger leaks in radiators, intake manifolds & gaskets, heater cores, blocks, heads and freeze plugs. One Step Sealer contains an antifreeze compatible sodium silicate liquid glass formula, so no draining of the cooling system is required.


**Dosage:**

Use – 1/2 bottle in a small cooling systems, such as 4 cylinders with no A/C. Use 1 bottle for regular size systems, which are most 4, 6, 8 and 10 cylinder engines. For larger systems, use 1 bottle for every 6 gallons of cooling system capacity.

Size: NET WT 18 OZ (510 g)

CS PK: 6

What it Does:



### Head Gasket Repair

Bar's Leaks Block Seal Head Gasket Repair is scientifically formulated to permanently seal coolant leaks that are the cause of most overheating problems. This repair contains aramid and refractory fibers giving the strength of a bullet proof vest and the heat resistance of fire proof clothing.

**Dosage:**

Only add to radiator after removing antifreeze.

1 to 2 gallon cooling capacity use 1/2 bottle.

2 to 6 gallon cooling capacity use 1 bottle.

Size: NET WT 20 OZ (567 g)

CS PK: 4

What it Does:



### Head Gasket Fix™

The easiest solution to stop head gasket coolant leaks. One Stop formulation contains a combination of sealing liquid and various size gasket sealing particles which perpetrate gaps and cracks to permanently stop leaks.


**Dosage:**

One bottle treats cooling systems from 1.5 gallons to 4 gallons. Use 1/2 bottle for systems 1 gallon to 1.49 gallons.

Size: NET WT 24 OZ (680 g)

CS PK: 4

What it Does:



### Head Gasket & Cooling Sealant

Bar's Leaks® Professional Carbon Fiber Block Seal Head Gasket & Cooling Sealant is the strongest antifreeze compatible repair on the market. High strength carbon fibers work like rebar in concrete to stop larger leaks and create a truly permanent seal.

**Dosage:**

One bottle treats cooling systems from 2.5 gallons to 5 gallons. Use 1/2 bottle for systems 1.5 gallon to 2.49 gallons.

Size: 33.8 FL OZ (1 L)

CS PK: 4

What it Does:



“ I called my brother who is much more of a mechanic than me and he suggested Bar's Liquid Copper Block & Radiator Sealer. It amazes me how well it's worked. ”

C. G. – Austin, TX

“ Thank you for saving my automotive life. ”

S. P. G. – Valley, AZ





## Cooling System Products



PN: 1194



PN: 1196



PN: G12BP



PN: PLT11

### Radiator Stop Leak 2X Concentrate Sealer (liquid)

Seals leaks in radiators, gaskets, heater cores and freeze plugs. Stops minor cooling systems leaks and drips caused by normal cooling system wear and age. Works with any color antifreeze.

**Dosage:**

1 bottle treats up to 3 gallons

Size: 6 FL OZ (177 mL)

CS PK: 6

**What it Does:**



STOPS LEAKS

REPAIRS

### Radiator Stop Leak Concentrate (liquid)

Seals leaks in radiators, gaskets, heater cores and freeze plugs. Works with any color antifreeze. Stops minor cooling systems leaks and drips caused by normal cooling system wear and age.

**Dosage:**

1 bottle treats up to 4 gallons

Size: 11 FL OZ (325 mL)

CS PK: 6

**What it Does:**



STOPS LEAKS

REPAIRS

### Radiator Stop Leak (powder)

Seals leaks in radiators, heater cores, gaskets and freeze plugs. Lubricates water pump seal and inhibits rust & corrosion. Works with all types and colors of antifreeze coolant, including yours.

**Dosage:**

One package treats systems up to 3 gallons

Size: NET WT 0.75 OZ (21.5 g)

CS PK: 7

**What it Does:**



STOPS LEAKS

REPAIRS

PREVENTATIVE MAINTENANCE

### Heavy Duty Radiator Stop Leak (pelletized)

Only the original pelletized stop leak contains Rhizex® pellets which dissolve quickly to stop larger leaks. Works safely and effectively on plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets and freeze plugs. Contains water pump lube, as well as a rust and corrosion inhibitor. Works with all types and colors of antifreeze coolant.

**Dosage:**

Use 1 bottle for 6, 8 and 10 cylinder gas or diesel engines. For 4 and 5 cylinder engines, use 1/2 of liquid and pellets.

Size: 11 FL OZ (325 mL)

CS PK: 6

**What it Does:**



STOPS LEAKS

PREVENTATIVE MAINTENANCE

LUBRICATES

REPAIRS

“ I remain skeptical of other "rebuilt in a bottle" but I would sure buy Bar's Leaks again. ”

M. L. - Pleasanton, CA



PN: HDC

**Radiator Stop Leak (tablets)**

Bar's Leaks Radiator Stop Leak tablets is the professional strength formula used & approved by OEM manufacturers and mechanics. Tablets are easy to use and quickly dissolve to inhibit the formation of rust & scale, neutralize pH imbalance, control electrolysis, lubricate and seal internal, external and coolant to oil leaks.

**Dosage:**

One package treats systems up to 3 gallons.

Use 2 tablets per gallon of coolant.

Size: NET WT 2.1 OZ (60 g)

CS PK: 12

**What it Does:**



STOPS LEAKS

PREVENTATIVE MAINTENANCE

REPAIRS



PN: 1186

**Liquid Aluminum™ Cooling System Radiator & Heater Core Stop Leak™**

Liquid Aluminum™ safely and instantly seals radiator, heater core, gasket and freeze plug leaks, Guaranteed. Contains XTREME COOL® which stops overheating and reduces water temperature. One of the few products to meet ASTM D6107 requirements for Stop Leak Additives used in Engine Coolants. Works in water or all antifreeze coolants.

**Dosage:**

Use - 1/2 bottle in a small cooling system, such as 4 cylinders with no A/C.

Use 1 bottle for regular size systems, most 4, 6, 8 and 10 cylinder engines.

For larger systems, use 1 bottle for every 4 gallons of cooling system capacity.

Size: 16.9 OZ (500 mL)

CS PK: 6

**What it Does:**



STOPS LEAKS

REPAIRS

DECREASES COOLANT TEMPERATURE



PN: 1150

**Cooling System Repair**

Bar's Leaks Cooling System Repair has twice the performance of other products by not only stopping cooling system leaks, but adding future protection. Reinforced with carbon fiber. The result is reduced coolant temperature, antifreeze loss and no leaks or overheating. Works with all types and colors of antifreeze coolant and/or water.

**Dosage:**

1 bottle treats systems up to 4 gallons

Size: 16.9 FL OZ (500 mL)

CS PK: 4

**What it Does:**



STOPS LEAKS

REPAIRS

PREVENTATIVE MAINTENANCE

DECREASES COOLANT TEMPERATURE



PN: J-100

**Cooling System Treatment**

Bar's Leaks Professional DiFM Cooling System Treatment 5-gram tablets are the perfect product to use any time servicing the cooling system, including parts replacement and flush & fills. Inhibits the formation of rust and scale, keeps the system clean, neutralizes pH imbalance, controls electrolysis, lubricates and seals internal, external and coolant-to-oil leaks.

**Dosage:**

Install 4 tablets per gallon of cooling system capacity

Size: 100 tablets per jug - 5 grams each

CS PK: 1

**What it Does:**



STOPS LEAKS

PREVENTATIVE MAINTENANCE

LUBRICATES

REPAIRS

“ My leak is GONE!! No more drip on the garage floor. Just wanted to let you know how satisfied I am... ”

M. J., Temple Hills, MD





## Cooling System Maintenance Products



PN: 1311



PN: 1211



PN: 1201

### Cooling System Water Pump Lube with Anti-Rust

Antifreeze alone is not enough to protect all of the metal, plastic and rubber parts of the cooling system. Compatible with ALL brands of antifreeze including conventional green or blue (Silicate-based) and extended life red/orange or yellow (OAT/HOAT) coolant.

#### Dosage:

One bottle treats a standard passenger car / light truck. Over the road and heavy duty equipment – Install one bottle for every 4 gallons of coolant.

Size: 12 FL OZ (355 mL)

CS PK: 6

#### What it Does:



LUBRICATES



PREVENTATIVE MAINTENANCE

### Radiator 10 Minute Flush

Fast, easy and safe to use. Contains no acid, needs no neutralizing. Compatible with all automotive cooling systems. Safe to use on Aluminum and Plastic Radiators. The best product to use when performing a normal cooling system service, like an antifreeze flush and fill.

#### Dosage:

One bottle cleans a standard passenger car / light truck. For larger systems use one bottle for every 3 gallons of capacity.

Size: 12 FL OZ (355 mL)

CS PK: 6

#### What it Does:



CLEANS



PREVENTATIVE MAINTENANCE



REPAIRS

### Super Radiator Flush

Cleans dirty systems factory clean. Fast, easy and safe to use. Removes deposits that build up over time causing overheating. Non-acid formula is safe to use on all cooling system materials. Harmless to all parts of the cooling system, including copper and aluminum. Use every time changing antifreeze.

#### Dosage:

Use one bottle of Super Radiator Flush for every 4 gallons of capacity.

Size: 22 FL OZ (651 mL)

CS PK: 6

#### What it Does:



CLEANS




PREVENTATIVE MAINTENANCE



REPAIRS



DECREASES COOLANT TEMPERATURE





## Transmission Products



PN: 1420

### Transmission Stop Leak Concentrate

*Concentrate is specially designed to stop minor seal and gasket leaks caused by normal transmission wear and age. Works with ALL domestic and import, automatic and manual transmission fluids.*

**Dosage:**

1 bottle treats 10 quarts of trans fluid

**Size:** 11 FL OZ (325 mL)

**CS PK:** 6

**What it Does:**



STOPS LEAKS



PN: 1400

### Automatic Transmission Repair

*Bar's Leaks Automatic Transmission Repair reduces rough shifting and friction, while eliminating slip, controlling temperature, and repairing shudder, chatter and whining. Premium high mileage formula restores transmission performance and saves on costly transmission/transaxle repairs. For most vehicles, this is the last chance before going to the junkyard or undergoing expensive repairs.*

**Dosage:**

1 bottle treats 8 to 12 quarts of trans fluid

**Size:** 16 FL OZ (473 mL)

**CS PK:** 4

**What it Does:**



STOPS LEAKS



REPAIRS



STOPS NOISE



LUBRICATES



PN: 4502

### Transmission Stop Slip with Leak Repair

*Rislone Transmission Stop Slip with Leak Repair contains a special blend of viscosity improvers, anti-wear friction modifiers and extreme pressure performance additives to solve most transmission problems. These additives reduce rough shifting and friction, while eliminating slip, controlling temperature, and repairing shudder, chatter and whining. Use to top off existing fluid or add a bottle when changing fluid.*

**Dosage:**

One bottle will treat 12 to 16 quarts of transmission fluid. For compact and smaller vehicles, use 1/2 of the bottle.

**Size:** 32 FL OZ (946 mL)

**CS PK:** 6

**What it Does:**



STOPS LEAKS



LUBRICATES



REPAIRS



STOPS NOISE





## Power Steering Products



## Hydraulics



PN: 1630



PN: 1600



PN: HJ12

### Power Steering Stop Leak Concentrate

Concentrate is specially designed to stop minor seal & o-ring leaks caused by normal power steering wear and age. Keeps power steering seals soft and pliable. Works with ALL domestic, import and heavy duty power steering fluid; including petroleum, mineral oil, synthetics and ATF automatic transmission fluid.

**Dosage:**

1 bottle treats up to 3 quarts of fluid

Size: 11 FL OZ (325 mL)

CS PK: 6

What it Does:



STOPS LEAKS

### Power Steering Repair

Bar's Leaks Power Steering Repair is a unique dual cavity bottle containing a combination of the best performance additives to repair the most common power steering fluid related problems. Reduces noise & smoothes out hard steering while stopping leaks and reconditioning pump and rack & pinion.

**Dosage:**

1 bottle treats 2 to 3 quarts of fluid

Size: 16 FL OZ (473 mL)

CS PK: 4

What it Does:



STOPS LEAKS



REPAIRS



STOPS NOISE

### Jack Oil with Stop Leak

Bring life back to old jacks and prevent leaks and seepage on newer jacks. Reconditions seals to stop current and future leaks. Works in all floor and bottle jacks. Mixes with all approved hydraulic jack oils. Great for topping off and bottle includes easy fill cap. Also works with all snow plow fluids.

**Dosage:**

1 bottle treats 2 to 3 quarts of fluid

Size: 12.5 FL OZ (370 mL)

CS PK : 6

What it Does:



STOPS LEAKS



LUBRICATES



REPAIRS





## What Size is Your Coolant Leak?



### Product Selector

	1194	1196	G12BP	HDC	PLT11	1186	1150
Small Leaks - Need to Add Coolant 1 X per Week	✓	✓	✓	✓		✓	✓
Medium Leaks - Need to Add Coolant 1 X per Day	✓	✓		✓	✓	✓	✓
Large Leaks - Need to Add Coolant 1 X per Hour					✓		✓
Overheating						✓	✓
Compatible with All Types of Antifreeze	✓	✓	✓	✓	✓	✓	✓

## What Size is Your Coolant Leak or Head Gasket Problem?



### Product Selector

	1109	1100	1111	HG-1
Small Leaks - Need to Add Coolant 1 X per Week	✓		✓	✓
Medium Leaks- Need to Add Coolant 1 X per Day	✓	✓	✓	✓
Large Leaks - Need to Add Coolant 1 X per Hour	✓	✓	✓	✓
Blown Head Gasket		✓	✓	✓
Overheating				✓
Intake Manifold & Block Leaks	✓	✓	✓	✓
Compatible with ALL Types of Antifreeze	✓		✓	✓

## What is Your Cooling System Problem?



### Product Selector

	J100
pH related electrolysis Problem	✓
Radiator Tank Seam Seal Leaks	✓
Leaky Head Bolt Threads	✓
Core "Freeze" Plug Leaks	✓
Other Internal & External Leaks	✓

## Cooling System Need Cleaning?



### Product Selector

	1211	1201
Overheating	✓	✓
Changing Coolant	✓	✓
Rust and Scale Build Up	✓	✓
Dirty or Clogged System		✓

## What is Your Water Pump Problem?



### Product Selector

	1311
Noisy Water Pump	✓
Need Extra Coolant Protection	✓
Running Straight Water	✓





PRODUCTS ▾



COMPANY ▾

HISTORY ▾

## What is Your Fuel Problem?



### Product Selector

	4732	4700	4740	4701	4705	4747	4777	4774	4735
Dirty Fuel Injectors	✓	✓	✓	✓	✓				
Clogged Fuel Injectors	✓	✓	✓	✓					
Dirty Valves or Combustion Chamber		✓	✓						
Prevents Gum & Varnish	✓	✓	✓	✓	✓	✓	✓	✓	
Noisy Injectors or Fuel Pump	✓	✓	✓	✓					
Poor Fuel Lubrication	✓	✓	✓	✓					
Decreased Power & Performance	✓	✓	✓	✓		✓	✓	✓	✓
Bad Fuel		✓	✓				✓		✓
Engine Knocking or Pinging		✓	✓			✓			
Low Octane Gas – Octane Booster		✓				✓			
Low Cetane Fuel – Cetane Booster			✓						
Improves Quality of Fuel	✓	✓	✓	✓	✓	✓	✓	✓	✓
Prevents Icing and Fuel line Freeze-up		✓	✓						✓
Water in Fuel		✓	✓						✓
Fights Damaging Effects of Ethanol		✓						✓	
Use with E10, E15, E85 Ethanol	✓	✓		✓	✓	✓	✓	✓	✓
Use with E85 Flex Fuel Ethanol	✓	✓		✓		✓	✓	✓	✓
Use in Direct Injected Engines	✓	✓	✓	✓	✓	✓	✓	✓	✓
Use in 4 - Cycle Engines	✓	✓	✓	✓	✓	✓	✓	✓	✓
Use in 2 - Cycle Engines								✓	✓
Use Street, Racing, Supercharged & Turbo	✓	✓		✓		✓			✓

## What is Your 2-Cycle Fuel Question?



### Product Selector

	40008	40003
Blue Smoke	✓	✓
Poor Fuel Lubrication	✓	✓
Improves Quality of Fuel	✓	✓
Use with E10, E15, E85 Ethanol	✓	✓
Use in 2 - Cycle Engines	✓	✓

## What is Your Jack Problem?



### Product Selector

	HJ12
Jack Won't Lift	✓
Dry and Worn Seals	✓
Floor or Bottle Jack Leaks	✓
Works With All Snow Plow Fluids	✓

## What is Your Engine Problem?



### Product Selector

	1000	4416	1010	1020	1040
Oil Leaks - Small drips & spots on the ground	✓		✓		✓
Large Oil Leaks - Large spots on the ground					✓
Smoking - Blue Smoke from Exhaust	✓	✓		✓	
Loss of Compression - Engine blow-by	✓				
Engine Noise - Ticking Lifter, Chatter	✓	✓			
Extends Engine Life	✓				
Increases Oil Pressure	✓				

## What is Your Engine Problem?



### Product Selector

	4471	4102	100QR	4405	4447
Smoking - Blue Smoke from Exhaust					✓
Loss of Compression - Engine blow-by					✓
Engine Noise - Ticking Lifter, Chatter	✓	✓	✓		
Sludge Buildup - Reduces Friction & Wear		✓	✓		
ZDDP Zinc - High Performance Protection				✓	
Increases Oil Pressure	✓				✓
Extends Engine Life				✓	

## What is Your Transmission Problem?



### Product Selector

	1420	4502	1400
Transmission Fluid Loss	✓	✓	✓
Transmission Slipping		✓	✓
Rough Shifting		✓	✓
Transmission Noise, Shudder & Chatter		✓	✓
Also Use in Manual Transmission	✓	✓	

## What is Your Power Steering Problem?



### Product Selector

	1630	1600
Power Steering Fluid Loss	✓	✓
Power Steering Noise & Squeals		✓
Slack - Loose Power Steering		✓
Hard & Tight Steering		✓
Worn Rack & Pinion		✓





PRODUCTS ▾

MOTORSPORTS ▾

HISTORY ▾



800-345-6572

info@barsproducts.com



### Bar's Leaks Racing Record

Bar's Leaks is an active sponsor in motorsports of all kinds; it's part of the company's passion and heritage. In fact, Bar's Leaks is an avid sponsor of Greg Adams, driver of the Bar's Leaks Eliminator monster truck. Eliminator has amassed over 45 wins in racing and freestyle competitions.

Bar's Leaks also sponsors the URC Sprint Series, one of the most exciting forms of racing today.

In addition, Bar's Leaks is a proud sponsor of Jr. Dragster, the fertile breeding ground for tomorrow's drag racing champions.




### Rislone's Racing Record

Over the years, Rislone has been part of numerous successful auto racing teams, as both a sponsor and as a component in the high-performance racing engines.

- Bill Reichert driver of the Rislone Top Alcohol Dragster is a five-time NHRA National Champion, along with multiple US Nationals wins.
- Current NHRA Record Holder in Top Alcohol Dragster for both E.T. and MPH .5.103 @ 284.75 MPH, Houston TX - April 1 2007
- .5 Time NHRA Top Alcohol Dragster World Champion - 2006 -2010
- .Mac Tools U.S. Nationals @ Indy Champion 2006, 2008 and 2011
- .NHRA Division 3 Champion 1994, 1998, 2001, 2004, 2006, 2007, 2010, 2011 and 2012
- .Inducted into the Michigan Motorsports Hall of Fame in 2002
- Bill Reichert currently holds the titles of U.S. National Indy Champion and World Champion overall for 2006, 2007, 2008, 2009 and 2010.

Tommy Ivo used Rislone in his impressive four-engine, one engine for each wheel on his Buick station wagon show car. The Buick could smoke all four tires for the entire quarter-mile.

As well as the Top Alcohol Dragsters, Rislone also sponsors many other motorsports such as Jr. Dragsters, Monster Trucks and Sprint Cars.



BAR'S PRODUCTS  
P.O. BOX 187, HOLLY, MI 48442  
MADE IN USA